

**AMENDMENTS TO THE CLAIMS**

*Please amend the claims as follows:*

1. (CURRENTLY AMENDED) An image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing method comprising the steps of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data, wherein the step of generating the three-dimensional look-up table is a step of generating the three-dimensional look-up table for a model of the digital camera; and

obtaining the processed image data by converting the image data according to the three-dimensional look-up table.

2. (CANCELLED)

3. (CURRENTLY AMENDED) ~~An image processing method as defined in Claim 1, further comprising a step of~~ An image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing method comprising the steps of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data;

obtaining the processed image data by converting the image data according to the three-dimensional look-up table; and

setting a number of lattice points in the three-dimensional look-up table according to a number of bits of the image data.

4. (CURRENTLY AMENDED) ~~An image processing method as defined in any one of Claims 1 to 3, further comprising a step of:~~An image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing method comprising the steps of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data;

obtaining the processed image data by converting the image data according to the three-dimensional look-up table;

comparing the total number of pixels in an image represented by the image data with the number of lattice points in the three-dimensional look-up table;

the step of generating the three-dimensional look-up table being a step of generating the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points; and

the step of obtaining the processed image data being a step of obtaining the processed image data by converting the image data according to the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points, and by

carrying out the tone conversion processing and the color correction processing on each of the pixels in the image represented by the image data in the case where the total number of the pixels is equal to or smaller than the number of the lattice points.

5. (PREVIOUSLY PRESENTED) An image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data, the image processing method comprising the steps of:

comparing a number of lattice points in a three-dimensional look-up table used for carrying out the tone conversion processing and the color correction processing on the image data with the total number of pixels in an image represented by the image data;

generating the three-dimensional look-up table and obtaining the processed image data by converting the image data according to the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points; and

obtaining the processed image data by carrying out the tone conversion processing and the color correction processing on each of the pixels in the image represented by the image data, in the case where the total number of the pixels is equal to or smaller than the number of the lattice points.

6. (ORIGINAL) An image processing method as defined in Claim 5, further comprising a step of setting the number of lattice points in the three-dimensional look-up table according to the number of bits of the image data.

7. (CURRENTLY AMENDED) An image processing apparatus for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing apparatus comprising:

three-dimensional look-up table generating means for generating a three-dimensional look-up table used for carrying out the tone conversion processing and the color correction processing simultaneously on the image data, wherein the three-dimensional look-up table generating means generates the three-dimensional look-up table according to a model of the digital camera; and

processing means for obtaining the processed image data by converting the image data according to the three-dimensional look-up table.

8. (CANCELLED)

9. (CURRENTLY AMENDED) ~~An image processing apparatus as defined in Claim 7;~~  
An image processing apparatus for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing apparatus comprising:

three-dimensional look-up table generating means for generating a three-dimensional look-up table used for carrying out the tone conversion processing and the color correction processing simultaneously on the image data, wherein the three-dimensional look-up table generating means sets the number of lattice points of the three-dimensional look-up table according to the number of bits of the image data; and

processing means for obtaining the processed image data by converting the image data according to the three-dimensional look-up table.

10. (CURRENTLY AMENDED) ~~An image processing apparatus as defined in any one of Claims 7 to 9,~~An image processing apparatus for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the image processing apparatus comprising:

three-dimensional look-up table generating means for generating a three-dimensional look-up table used for carrying out the tone conversion processing and the color correction processing simultaneously on the image data:

processing means for obtaining the processed image data by converting the image data according to the three-dimensional look-up table;

the three-dimensional look-up table generating means being means for comparing the total number of pixels of an image represented by the image data with the number of lattice points in the three-dimensional look-up table, and for generating the three-dimensional look-up table if the total number of the pixels is larger than the number of the lattice points; and

the processing means being means for obtaining the processed image data by converting the image data according to the three-dimensional look-up table if the total number of the pixels is larger than the number of the lattice points, and for obtaining the processed image data by carrying out the tone conversion processing and the color correction processing on each of the pixels of the image represented by the image data if the total number of the pixels is equal to or smaller than the number of the lattice points.

11. (PREVIOUSLY PRESENTED) An image processing apparatus for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data, the image processing apparatus comprising:

three-dimensional look-up table generating means for comparing a number of lattice points in a three-dimensional look-up table used for the tone conversion processing and the color correction processing on the image data with the total number of pixels in an image represented by the image data, and for generating the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points; and

processing means for obtaining the processed image data by converting the image data according to the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points, and for obtaining the processed image data by carrying out the tone conversion processing and the color correction processing on each of the pixels in the image represented by the image data, in the case where the total number of the pixels is equal to or smaller than the number of the lattice points.

12. (ORIGINAL) An image processing method as defined in Claim 11, wherein the three-dimensional look-up table generating means sets the number of the lattice points in the three-dimensional look-up table according to the number of bits of the image data.

13. (CURRENTLY AMENDED) A computer-readable recording medium storing a program to cause a computer to execute an image processing method for obtaining processed

image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the program comprising the procedures of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data, wherein the procedure of generating the three-dimensional look-up table is the procedure of generating the three-dimensional look-up table for a model of the digital camera; and

obtaining the processed image data by converting the image data according to the three-dimensional look-up table.

14. (CANCELLED)

15. (CURRENTLY AMENDED) ~~A computer-readable recording medium as defined in Claim 13, the program further comprising the procedure of~~A computer-readable recording medium storing a program to cause a computer to execute an image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the program comprising the procedures of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data;

obtaining the processed image data by converting the image data according to the three-dimensional look-up table; and

setting the number of lattice points in the three-dimensional look-up table according to the number of bits of the image data.

16. (CURRENTLY AMENDED) ~~A computer-readable recording medium as defined in any one of Claims 13 to 15, the program further comprising the procedure of:~~ A computer-readable recording medium storing a program to cause a computer to execute an image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data obtained by a digital camera, the program comprising the procedures of:

generating a three-dimensional look-up table for carrying out the tone conversion processing and the color correction processing simultaneously on the image data;

obtaining the processed image data by converting the image data according to the three-dimensional look-up table;

comparing the total number of pixels in an image represented by the image data with the number of lattice points in the three-dimensional look-up table;

the procedure of generating the three-dimensional look-up table being the procedure of generating the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points; and

the procedure of obtaining the processed image data being the procedure of obtaining the processed image data by converting the image data according to the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points, and by carrying out the tone conversion processing and the color correction processing on



each of the pixels in the image represented by the image data in the case where the total number of the pixels is equal to or smaller than the number of the lattice points.

17. (PREVIOUSLY PRESENTED) A computer-readable recording medium storing a program to cause a computer to execute an image processing method for obtaining processed image data by carrying out tone conversion processing and color correction processing on image data, the program comprising the procedures of:

comparing a number of lattice points in a three-dimensional look-up table used for carrying out the tone conversion processing and the color correction processing on the image data with the total number of pixels in an image represented by the image data;

generating the three-dimensional look-up table and obtaining the processed image data by converting the image data according to the three-dimensional look-up table in the case where the total number of the pixels is larger than the number of the lattice points; and

obtaining the processed image data by carrying out the tone conversion processing and the color correction processing on each of the pixels in the image represented by the image data, in the case where the total number of the pixels is equal to or smaller than the number of the lattice points.

18. (ORIGINAL) A computer-readable recording medium as defined in Claim 17, the program further comprising a procedure of setting the number of lattice points in the three-dimensional look-up table according to a number of bits of the image data.